

CSCI 1210

Essentials of Web Development

Links and Images

East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design

1

Links

CSCI 1210
Essentials of Web Development

East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design

2

Links

What makes the Web the Web

One of the things that makes the web unique is hyperlinks, or 'links'

Changed the way consumers interact with content

No longer a linear, start-to-finish activity

Users can follow a 'breadcrumb trail,' jumping from site to site, or to different locations within a site to find the content they want

The Anchor Element

`<a>`

This tells the browser that whatever appears between `<a>` and `` is a link to another location

By default, links are displayed blue in color and underlined

Links

Let's think about this for a second

We use `<a>` to specify a link

That's great

Now what?

Well, if we're going to tell the browser to go somewhere when the user clicks on a link, it'd be nice if the browser know where it is we want the user to go

Where to go? -- `href`

This is one of the places we need to add an attribute to the opening tag

```
<a href="https://www.csci1210.com">CSCI 1210</a>
```

Will display like this

[CSCI 1210](https://www.csci1210.com)

Where to go? -- **href**

href == "hypertext reference"

This is an HTML-speak way of saying "address"

Tells the browser where to go when the user clicks the link

Remember, we talked about **attributes** a couple of lectures ago

They provide the browser with additional information to make the page behave the way we want

href - Two types

There are two types of hypertext references -

An **absolute** URL - points to another web site (like
href="http://www.example.com/default.html")

A **relative** URL - points to a file within a web site (like
href="default.html")

* We can also link to an element with a specified id within the page (like
href="#top")

Other protocols (like https://, ftp://, mailto:, file:, etc..)

href - Absolute

An absolute reference provides the entire URL to the browser

(Remember what 'URL' means)

The address is a unique 'point' on the web that doesn't change

Easy to distinguish from relative URLs because of "http://" (or "h

Any text
here

```
<a href="https://www.csci1210.com">CSCI 1210 Website</a>
```

href - Relative

A relative reference provides the location of a resource with respect to the location of the current page

The browser starts "looking" for the requested resource at the location that the page is stored on the server

So, here, the browser will check the "labs" folder for another subfolder named "lab1" and a file named index.html

Any text
here

```
<a href="labs/lab1/index.html">Lab 1</a>
```

Making an Internal Link

Internal Link

Link within your own website

Relative URL may (*should*) be used

The pathname can be used to specify the location relative to the location of the current document

Navigating the File Tree

If you think of your computer's file system as a tree, you'll see that there are several big branches (main folders)

...smaller branches (sub-folders)

...and leaves (files)

Any of the branches can have 0, 1, or many leaves

Making an Internal Link


If the file you are linking to is:

Within the **same** directory:

Only the filename is necessary

Ex. Linking to MyInterests.html from index.html

```
<a href="myinterests.html">My Interests</a>
```



Making an Internal Link

If the file you are linking to is:


Within a **lower** directory

Pathname, including the directory will be necessary

Ex. Linking to homework2.html from homework.html

```
<a href="hw2/homework2.html">Homework 2</a>
```

Notice, no '/' in front!



Making an Internal Link


If the file you are linking to is:

Within a **higher** directory

`../` must be used to "back out" of a directory

Ex. Linking to `index.html` from `homework2.html`


```
<a href="../../../index.html"> Home </a>
```



East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design

15



16

'WEB ROOT'

SUBFOLDERS

FILES & SUBFOLDERS

Remote site: /labs/lab9

- /?
- /? .cache
- /? homework
- /? images
- /? js
- /? labs
 - lab1
 - lab1.5
 - /? lab10
 - lab2
 - lab7
 - lab9
 - /? midterm

Filename

- ..
- images
- contact.php
- footer.php
- header.php
- imgph.jpg
- lab9.css
- lab9.php
- lab9.zip

**FILEZILLA
PERSPECTIVE**

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

17

File Structure Navigation

```

+ csci1210.com
|
+---assignments
|
+---hw4
|   hw4.html
|   hw4.zip
|   hw4template.html
|
+---css
|   hw4.css
|
\---images
    001.jpg
    002.jpg
    003.jpg
    004.jpg
    005.jpg
    006.jpg
    007.jpg
          
```

This is the output from the DOS 'tree' command, which shows a listing of folders, subfolders, and files in each folder for a given directory.

It also illustrates how files and folders are arranged in relationship with one another

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

18

Making an Internal Link



Why would you want to use relative links in a website?

Why not just use all absolute links in a website?

What happens when you have to move your website?

Absolute vs. Relative URLs

Two reasons to use relative URLs instead of absolute

Absolute URLs can take longer (DNS lookups)

What if you have to move your site to a new provider, server, or domain?

The rule is: If you're linking to any resource on your site, use **relative** URLs; Any other site, use **absolute** URLs

Making a link within a page

This will cause the user to be sent to a certain section within the same page

Naming a **fragment** (section)

```
<a name="text"></a>
```

Linking to a fragment `<h1 id="top">Top of Page</h1>`

```
<a href="#text">...</a>
```

```
<a href="#top">Top</a>
```

Note the
use of the
here

Making a link within a page (Example)

```
<a href="#footer">Go to bottom of page</a>
```

·
·
·

```
<p id="footer">This is the bottom</p>
```

Will Display →

[Go to bottom of page](#)

·
·
·

This is the bottom

Mail Links

mailto: command

Allows the browser to open a new mail message addressed to the e-mail address indicated

Ex: `Email Jack`

[Email Jack](mailto:ramseyjw@etsu.edu)

For mailto: to work, the client computer has to have a default email client
It isn't used much, if at all, anymore

Links Summary

Provide a way for users to navigate to resources within and outside a site

HTML anchor tag, `Link`

`href = "hypertext reference"`

Inside a site, use **relative** links

Outside a site, use **absolute** links

Use **relative** links whenever possible

Path is important

Images

Essentials of Web Development

CSCI 1210

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

25

Images

Obviously, images are an important part of the Web experience

The old saying, "A picture is worth a thousand words" is still true, as much for the Web as anywhere else

Knowing how to make a raw image suitable for use of the Web is a critical skill for a developer

First, let's look at how to add an image to a web page

Then, we'll see how we can take raw images from the camera to the web page



*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

26

Images

This is a standalone, inline element

Like the `<a>` element, we have to provide the browser with a little additional information to make it work

Attributes:

- src** specifies the source or URL for the image (Required)
- alt** specifies alternative text (Required)
- title** specifies the title for the image (Optional)

 – src, alt, title

```

```

The attribute `src` identifies the source URL for the image.

This can be expressed as either an `absolute` or `relative` URL (and behaves in the same manor as the attribute `href` on the anchor tag)

Images – src, alt, title

The attribute **alt** defines the alternative text

This is important for those with visual impairments using browsers that “read” the page

In some browsers, if you hover over the image, the alternative text will appear.

Required attribute for validation

The attribute **title** defines a title for the image. Works similar to the alt attribute

Images – types of images

There are three basic formats of images: GIF

Graphics Interchange Format

Smaller File Sizes


Supports only 256 colors

Not very good for photos

Good for logos, icons, cartoons, etc

Can have transparent backgrounds

Can be animated (...and potentially annoying)



Images – types of images

There are three basic formats of images: JPG / JPEG


- Joint Photographic Experts Group
- Lossy Compression
- Smaller file sizes
- Supports 16+ million colors
- Good for photos
- Good (but not ideal) for logos, icons, cartoons, etc
- Cannot have transparent backgrounds
- Cannot be animated



Images – types of images

There are three basic formats of images: PNG

- Portable Network Graphics
- Lossless Compression
- Larger file sizes
- Supports 16+ million colors
- Good for photos (can be larger file sizes vs jpg)
- Good for logos, icons, cartoons, etc
- Can have transparent backgrounds (PNG-24 and PNG-32)
- Cannot be animated



Captions

<figure>

Sometimes, we want to include captions for our images

The **<figure></figure>** element makes this possible

<figcaption>

```
<figure>  
    
  <figcaption>Glass Globe</figcaption>  
</figure>
```



Glass Globe

Image Links

Instead of using text for a link's display, we can use an image

```
<a href="https://csci1210.com/index.html" target="_blank">
  
</a>
```

See here, the `` is nested inside the anchor

We'll do a lot of nesting in this class

Notice, also, `target="_blank"`

Image Links

```
<a href="https://csci1210.com/index.html" target="_blank">
  
</a>
```



Resolution

Resolution refers the number of pixels per inch the graphic contains

The standard resolution for the Web is 72ppi (pixels per inch). For printing a picture, the standard resolution is 300ppi

So why not use 300ppi for web graphics?

Two words:

File Size

Resolution

Many users still connect through dial-up


3G/4G/5G (mobile phones) are faster, but still a lot slower than cable/fiber

“Slower” broadband (cough, cough) - Satellite

File size of images is the most significant factor in page load time

Resolution

According to a the Pew Research Center, 3% of the entire United States still connects to the world wide web via a dial-up connection. That's more than 9.4 million Americans
[\(https://www.pewresearch.org/internet/chart/broadband-vs-dial-up-adoption-over-time/\)](https://www.pewresearch.org/internet/chart/broadband-vs-dial-up-adoption-over-time/)




Resolution

Since browsers **cache** recently accessed files, you can save your users download time by always loading the same graphic files from the same location

Example: If we use the company logo on every page of our website, it would be better to use one logo and every page access the same logo from the same location on our server

* "cache" means that the computer stores a local copy of a downloaded file for a while so if you revisit a site, it doesn't have to download it all over again

Resolution



Resolution

While caching helps page load times, the files still have to be downloaded the first time the page is accessed

It's important, then to optimize images for the Web

By 'optimize,' we mean edit the files so that their resulting file size is as small as possible without losing resolution

Page download times are the most important factor in overall user satisfaction with a site

Photo Editing Basics

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

43

Photo Editors

Most cameras – even cell phone cameras – take pictures that are way too big for web pages

Such photos should be edited to reduce their size before being posted to the web

Web services such as Facebook and Instagram do this automatically when files are uploaded

Adobe - Best photo editor (not free)

GIMP - Just as good (according to users - free)

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

44

Optimizing Photos

Several ways

Cutting out unimportant parts

Resizing

Resolution

Dimensions


Increasing compression ratio (JPEG)

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

45

Welcome to GIMP






*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

46

Welcome to GIMP





East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design

49

Web Images - Resizing

Export Image dialog box showing the following settings:

- Name: toucan.jpg
- Save in folder: ramseyjw Pictures
- File List:

Name	Size	Modified
networking.jpg	78.8 kB	2/20/2017
octo.png	19.2 kB	9/22/2017
ohwhattthehell.jpg	35.5 kB	11/11/2017
qos.jpg	81.5 kB	10/20/2016
rtt.jpg	98.6 kB	3/13/2017
rUATjG.png	1.5 MB	3/16/2017
score.jpg	11.8 kB	9/8/2017
testnet.jpg	36.8 kB	1/22/2018
toomuchtime.jpg	79.0 kB	4/13/2017
toucan.jpg	70.9 kB	14:49
ubuntu.jpg	13.5 kB	9/21/2017
what-i-want.jpg	144.8 kB	7/28/2016
z4aCG.png	796.5 kB	3/16/2017
zy0Jsk6.jpg	249.8 kB	7/28/2016
- Preview: toucan.jpg, 70.9 kB, 400 x 225 pixels

Buttons: Help, Export, Cancel


File information: toucan.jpg, 11/11/2016 2:34 PM, JPG File, 70 KB

East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design


50

Web Images - Resizing



51

Web Images - Resizing



52

Web Images

By modifying the image's resolution, dimensions, and compression ratio, the file size went from

552,000 bytes

to

24,000 bytes (!)

That's 4.3% of its original file size

But still displays fine on a web page!

Very important, particularly with mobile platforms

Cropping

Another way to modify images, and present them more creatively, is cropping


Often, images will capture more than a photographer really wants to include

Cropping allows the photographer/image editor/web site designers to include only the content that is desired


Typically, when I frame a photo, I zoom out a little to give myself a little "wiggle room" artistically

Also, along with resizing, changing dimensions, and modifying the compression ratio, cropping will further serve to reduce file size

Cropping



Cropping



Cropping

Double-click to crop – file size goes from 58M to 26M



*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

57

Photo Editing

We'll cover the mechanics of resizing, cropping, and compressing images in lab

It's much the same with Photoshop

Again, this is the bare basics of photo editing

Enough, though, for optimizing for the web

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

59

Web Design Lifecycle

Targeting Users & Requirements Gathering

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

60

Targeted Site Users

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

61

Users

Every well designed site has a targeted set of site users

Cannot create a site that appeals to everyone

Profile of targeted users based on site mission and goals of site owner

Define groups of targeted users to focus design

Once we know who to target, we can plan what content and design will (and won't) appeal to them

Will often create user personas to aid in planning

Users

Information can come from:

- Customer's company marketing department

- Sales / marketing employees

- Existing web site analysis

- Surveys and research of existing customer base

- Any other ideas?

Creating User Profiles

What groups of people will visit this site if it is successful?

Build a set of different group profiles along with identifying elements

May want to create a **persona** — describing a hypothetical site user and his/her interests—for each targeted group

Creating User Personas

Who will visit this site?

What do they have in common?

Interests?

Goals?

Likes / dislikes?



Example Persona

Joan Perez


age: 26
 residence: Columbus, OH
 education: Bachelors Degree
 occupation: Teacher
 marital status: Single | No children



My students come first in everything I do.

Joan is a new teacher, having recently gotten her certification from a teacher placement agency. She is in her second year of teaching now, starting to get the hang of things more, but also now realizing how much she needs to improve. She wants to get better, but also wants to be smart about it.

Comfort With Technology



Criteria For Success:

To see all of her students grow 1.5 grade levels.

Needs

- Measurable impact
- To have project self manage

Wants

- Something that doesn't take long to setup
- Products that integrate with other existing technology

Values

- Student growth
- Time savings
- Products that easily fit into her current workflow

Fears

- Cutting into already sparse free time
- Starting something that isn't sustainable
- Doesn't actually improve student achievement
- Someone else has already built what she needs

East Tennessee State University
Department of Computing

Example Persona

Sean Perkins


age: 33
 residence: Washington, DC
 education: Bachelors Degree (BA)
 occupation: Business Owner
 marital status: Single | No children



I think this idea could work, I just need to put more energy into it.

Sean is juggling many projects and priorities. He appreciates help from his vendors and employees. When tackling something new he prefers to do some research then consult an expert.

Comfort With Technology



Criteria For Success:

When a project achieves its goals on time and on budget while delighting users.

Needs

- Tangible results
- To have project self manage

Wants

- Start small
- See results before spending more money

Values

- Detailed planning
- Concrete expectations
- Decisions backed up by analytics or data

Fears

- Failure
- Wasting money
- Being too hasty

East Tennessee State University
Department of Computing

User groups

Sites often exist for more than one type of user

We can group these users according to characteristics they have in common, but which distinguish them from other groups

Example - A university web site:

- Faculty/staff
- Students
- Prospective students / parents
- Alumni

Site focal user groups - Common elements:

- Age ranges
- Gender (one dominant?)
- Education level
- Occupation
- Hobbies and interests
- Experience level—computer and/or Web
- Personal goals
- Equipment used (desktop, laptop, PDA, cell phone, etc.)


In-class Activity

You've contracted to design a web site for an auto parts store

What distinct groups of people might visit this site?

For each group, identify one overall characteristic/concern that distinguishes that group from others

Maintenance Flow Chart



In-class Activity

Car parts site design—example user groups:

Professional car mechanics

Hobbyists and car enthusiasts

"Do It Yourself" car repair people

Suppliers and resellers of components

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

72

In-class Activity

Mechanics

Use: Search inventory by part number and availability

Major concern: Delivery speed



*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

73

In-class Activity

Hobbyists

Use: Search by make/model/
year; getting the right part

Major concern: Getting the
parts they want



*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

74

In-class Activity

DIY

Use: Finding parts by pictures /
tutorials

Major concern: Price



*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

75

In-class Activity

Did anyone notice anything peculiar about the preceding three photographs?

That's right! They were all male

While it is not safe to assume that no women are interested in cars or are professional mechanics, I think we can agree that it is primarily the domain of men

Prioritizing

Oops! Did we forget one? What about resellers?

Creating user profiles or personas helps us to know who to target (and who *not* to target) in our design

May be helpful to rank or prioritize different groups

Although component resellers might be interested in visiting our site, our hypothetical client is not particularly interested in dealing with them, so we're not going to incorporate them into our design. So we can omit them from the design process

Remember, the *designer* is not making the decisions. The designer is working with *client* to build user profiles and associated prioritization

Audience Splitting

May be possible to explicitly target different user groups and partition presentation relevant for each group.

<http://www.etsu.edu>

Benefits of Understanding Site Users

Building user personas and groups can aid in determining:

- Overall tone, personality, and attitude of site
- Organizational structure of site, navigation
- Text, terminology/jargon, writing style
- Appropriate pictures and graphics
- Functional features of site

Requirements Gathering

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

80

Requirements

Requirements: those elements that must be present in our final product to achieve success

General requirements may come from the designer, but specific requirements come from end users and customers

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

81

Requirements Elicitation

Designers do not determine site requirements, they gather requirements specified by others

Comes from meeting with clients and end users (when possible), and asking *specific* questions

Requires effort on the designers' part to learn requirements through skillful use of questions

Customer may say "I want an online store" but there are many different kinds and design alternatives

Users must be guided in the process of stating their requirements. They generally will not have thought through this in advance



East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design

84

Requirements Elicitation Techniques

Interviews and questionnaires

Ask *specific* questions to determine wants/needs

"What do you want?" may elicit general requirements, but detailed questions needed

Brain storming sessions

Meet with groups and discuss ideas and variations



East Tennessee State University
Department of Computing

CSCI 1210
Essentials of Web Design

85

Requirements Elicitation Techniques

Storyboards

Diagram alternatives; discuss pros/cons and changes

Role playing

Walk through particular requirement

Prototyping

Produce rough drafts of potential "solutions" for examination

Types of Requirements

Specific requirements tie to functional demands or design attributes of the site

"Our company color is royal blue; we'd like that to be featured in the design"
"We'd like site visitors to be able to chat with technical support via our site"

General requirements can be derived from attributes of and knowledge of our targeted users

Since AARP site visitors are mostly older-aged, "flashy" presentation not valued
Color contrast is important for readability
Larger text

Types of Requirements

These are ETSU's official colors



NAVY

Pantone 282 C

C100 M90 Y13 K68

R4 G30 B66

#041E42

Isacord #3355

Screen Print PMS 282



GOLD

Pantone 123 C

C0 M19 Y89 K0

R255 G199 B44

#FFC72C

Isacord #0800

Screen Print PMS 1235

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

88

In Class Exercise

You've been hired by Super Toyland Toy Store to create their new site. The customer has arranged for you to meet with a group of people who regularly shop in their physical store

What questions would you ask at this meeting to learn about these customers and their requirements? After the meeting with the customers you have a meeting scheduled with representatives of Super Toyland management to discuss the site

Work with a couple of neighbors to create a list of at least 4 questions for each of the meetings

*East Tennessee State University
Department of Computing*

*CSCI 1210
Essentials of Web Design*

89

Requirements vs. Site Mission Statement

Occasionally stated requirements may conflict with site mission statement

Can the requirement be met in a manner consistent with the mission statement?

Client/site owner must be made aware of conflict so they can decide how conflict will be handled

Questions



Lecture Quiz

1. Which element do we use to create a link?

- A. <href>
- B. <a>
- C.
- D. <link>

Lecture Quiz

2. How are links displayed by default?

- A. Like this
- B. Like this
- C. Like this
- D. [Like this](#)

Lecture Quiz

3. Which two attributes are required for an `` element?

- A. src & alt
- B. src & title
- C. title & figcaption
- D. alt & title

Lecture Quiz

4. Images can be used in place of text for hyperlinks

- A. True
- B. False

Lecture Quiz

5. Which image format is most likely being used for the following image?



- A. .bmp
- B. .jpg
- C. .svg
- D. .gif

Lecture Quiz

6. Designers determine specific requirements

- A. True
- B. False

Lecture Quiz

7. A site mission statement is usually identical to an organization's mission statement
- A. True
 - B. False

Lecture Quiz

8. What instrument/technique can we use to understand our site's users?
- A. Persona
 - B. Surveys / research
 - C. Client's marketing/sales department
 - D. All of the above

Lecture Quiz

9. Which of the following is a user characteristic we would want to identify as we build personas?
- A. Age ranges
 - B. Gender (one dominant?)
 - C. Education level
 - D. Occupation
 - E. Hobbies and interests
 - F. Experience level—computer and/or Web
 - G. Personal goals
 - H. Equipment used (desktop, laptop, PDA, cell phone, etc.)
 - I. All of the above

Lecture Quiz

10. What does the `target="_blank"` attribute/value pair do?
- A. Makes a page launch in a new tab
 - B. Overwrites the current page with a new one
 - C. Nothing. `target="_blank"` is deprecated and no longer used

Sources

- "HTML Reference", W3Schools, Retrieved from <http://www.w3schools.com/tags/default.asp>
- "HTML Tables", W3Schools, Retrieved from http://www.w3schools.com/html/html_tables.asp
- "CSS Reference", W3Schools, Retrieved from <http://www.w3schools.com/cssref/default.asp>
- "HTML Symbols", W3Schools, Retrieved from http://www.w3schools.com/html/html_symbols.asp
- Kooser, A. "3 percent of American adults still cling to dial-up Internet", W3Schools, August 2013. Retrieved From <http://www.cnet.com/news/3-percent-of-american-adults-still-cling-to-dial-up-internet/>

Copyrights



Presentation prepared by and copyright of John Ramsey,
East Tennessee State University, Department of
Computing . (ramseyjw@etsu.edu)



- Microsoft, Windows, Excel, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.
- IBM, DB2, DB2 Universal Database, System i, System i5, System p, System p5, System x, System z, System z10, System z9, z9, z9, iSeries, pSeries, xSeries, zSeries, eServer, z/VM, z/OS, i5/OS, S/390, OS/390, OS/400, AS/400, S/390 Parallel Enterprise Server, PowerVM, Power Architecture, POWER6+, POWER6, POWER5+, POWER5, POWER, OpenPower, PowerPC, BatchPipes, BladeCenter, System Storage, GPFS, HACMP, RETAIN, DB2 Connect, RACF, Redbooks, OS/2, Parallel Sysplex, MVS/ESA, AIX, Intelligent Miner, WebSphere, Netfinity, Tivoli and Informix are trademarks or registered trademarks of IBM Corporation.
- Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.
- Oracle is a registered trademark of Oracle Corporation.
- HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.
- Java is a registered trademark of Sun Microsystems, Inc.
- JavaScript is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.
- SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP Business ByDesign, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries.
- Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects S.A. in the United States and in other countries. Business Objects is an SAP company.
- ERPsim is a registered copyright of ERPsim Labs, HEC Montreal.
- Other products mentioned in this presentation are trademarks of their respective owners.